Light 3D

- 14.3415 - **Light 3D Headrest 2-Switch**
- 14.3515 - **Light 3D Headrest 2-Switch Flex**

SKU:00.5139~B 2026/01/21

MOUNTING MADE EASY

Scan me

Sicherheitshinweise
Safety Instructions

Montage
Assembly

Handhabung
Handling

Stückliste
Bill of Materials

VORSICHT / CAUTION



Abmessungen und Gewicht / Size and Weight



Gewicht
Weight
485 g
[1.1 lbs]

Max. Belastbarkeit
Max. Load capacity
2x 300 g
2x [0.66 lbs]

Lieferumfang / Contents of delivery




1
2
01.0008
1


2

3



4



5



6



7



8



9



✔



Bedienung / Operating



Bedienung / Operating



Bedienung / Operating



Funktion / Function



Funktion / Function



Austausch / Replacement




4
5
6
3
2
6
5
4
1
2
3


7
7.1
7.2
7.3
7.4
7.5

Pos.	No.	Bezeichnung	Description
1	14.9516	Rohr Ø10x300	Tube Ø10x300
2	14.1302	L3D Connector 65°	L3D Connector 65°
3	14.9512	Rohr Ø10x100	Tube Ø10x100
4	14.1252	L3D 10-10 QS	L3D 10-10 QS
5*	14.9515	Rohr Ø10x250	Tube Ø10x250
5**	14.9714	Flex Back Rohr Ø10x250	Flex Back Tube Ø10x250
6	14.1252	L3D 10-10 QS	L3D 10-10 QS
7	14.3415BS	Schraubensatz - L3D Headrest 2-Switch	Set of fitting parts - L3D Headrest 2-Switch
7.1	01.0624	Zylinderschraube M6x25	Cylinder head bolt M6x25
7.2	01.0002	Innensechskantschlüssel 3mm	Allen wrench 3mm
7.3	01.0008	Innensechskantschlüssel 5mm lang	Allen wrench 5mm long
7.4	01.9910	Kabelclip Ø10	Cable clip Ø10
7.5	01.5993	Abrutschkappe Ø10mm schwarz	Restraining cap Ø10mm black

5* = 14.3415 - L3D Headrest 2-Switch
5** = 14.3515 - L3D Headrest 2-Switch Flex

We ♥ your feedback

Rehadapt

Heinrich-Hertz-Str. 104
34123 Kassel, Germany

+49 561 220 717 0

officeteam@rehadapt.com
https://rehadapt.com

Rehadapt
North America

40 Oser Ave, Suite 40-01
Hauppauge, NY 11788, USA

+1 888 635 6962
+1 888 635 6962
officeteam.na@rehadapt.com
https://rehadapt.com